SHEET NO. 61 DR

EFFECTIVE FEBRUARY, 1963

SUGGESTED EASTERN RESALE PRICES

K-D TOOLS

See Catalog No. 61, dated February 1961, and Master Supplement No. 61D, dated February 1963.

This Resale Sheet on Tools supersedes Resale Sheet Nos. 61R, 61ABR, 61CR.

K-D MANUFACTURING COMPANY

LANCASTER, PENNSYLVANIA

Type No.	Unit	Sugg. Resale	Page No.	* Panel No.
5B	Ea.	$2.35	31	
5C	Doz.	5.10	27	
5D	Doz.	11.10	27	
5KC	Ea.	4.15	31	
5L	Ea.	1.90	27	
5R	Ea.	1.20	27	7
5S	Ea.	1.10	27	7
6	Ea.	.85	31	
7	Ea.	.90	31	7
8	Ea.	.75	31	
9	Ea.	.65	31	
10K	Ea.	3.05	31	
11K	Ea.	2.45	31	
11K3	Ea.	2.15	31	7
12KC	Ea.	3.60	31	
13	Doz.	2.15	27	
14	Doz.	2.35	27	
15	Doz.	3.45	27	
16	Doz.	2.80	27	
19	Ea.	2.90	28	10
20	Set	3.40	28	
21	Ea.	.70	28	
22	Ea.	.85	28	
23	Ea.	.90	28	
24	Ea.	1.00	28	
26	Ea.	.55	28	
27	Set	4.90	29	10
27AB	Ea.	1.15	29	
27BB	Ea.	.85	29	
27CB	Ea.	.55	29	
27DB	Ea.	.55	29	
27EB	Ea.	.55	29	
27FB	Ea.	.55	29	
27GB	Ea.	.55	29	
27HB	Ea.	.55	29	
27IB	Ea.	.55	29	
27JB	Ea.	.55	29	
27KB	Ea.	.85	29	
27LB	Ea.	.55	29	
27S	Set	3.85	29	
27SG	Ea.	6.95	29	10
27SM	Set	5.10	29	
27W	Ea.	2.10	29	
28	Ea.	.55	30	
29	Ea.	1.65	30	10
30	Ea.	3.95	30	10
31	Ea.	1.10	30	
32	Pair	1.50	5	
33	Ea.	14.15	32	
35	Pair	1.50	5	
36	Pair	1.95	5	11
38	Pair	1.50	5	
38W	Pair	1.50	5	
39	Pair	1.50	5	
40	Ea.	.95	30	10
45	Ea.	1.15	30	10
46	Ea.	1.55	30	10
47	Ea.	1.65	30	10
49	Doz.	4.65		
55	Ea.	2.80	32	
60-3	Ea.	9.75	28	
60-4	Ea.	11.85	28	
60-5	Ea.	16.00	28	
61	Ea.	2.10	28	10
62	Ea.	2.65	28	10
63	Ea.	3.30	28	10
65	Ea.	3.80	28	10
66	Ea.	4.30	28	10
90	Ea.	2.00	31	
99	Ea.	3.85	27	2
105	Ea.	$1.25	25	3
106	Ea.	1.25	25	3
107	Ea.	1.25	25	3
108	Ea.	3.60	25	3
111	Ea.	4.80	25	3
112	Ea.	1.15	25	3
114	Ea.	.60	26	
115	Ea.	3.85	25	
116	Ea.	.85	26	
117	Ea.	1.05	26	
118	Ea.	.65	26	
121	Ea.	1.95	39	4
122	Ea.	8.30	26	3
124	Ea.	4.95	38	4
125	Ea.	6.45	36	4
126	Ea.	3.35	36	4
127	Ea.	1.65	37	4
128	Ea.	1.75	37	4
129	Ea.	2.55	37	4
130	Ea.	4.00	26	
131R	Ea.	.50	26	3
132	Ea.	4.40	26	3
134	Set	5.95	39	4
135	Ea.	2.75	38	4
136	Ea.	2.65	39	4
137	Ea.	1.95	40	4
138	Ea.	2.65	39	4
139	Ea.	1.00	40	
140	Ea.	4.95	17	2
145	Ea.	3.65	43	5
175	Ea.	15.00	9	
176	Ea.	8.85	9	
177	Set	21.85	9	
180	Set	2.15	37	4
181	Set	10.95	38	4
181-A	Ea.	2.85	38	
181-B	Ea.	1.15	38	
181-C	Ea.	3.85	38	
181-D	Ea.	1.15	38	
181-E	Ea.	1.15	38	
181-F	Ea.	1.15	38	
181-G	Ea.	.35	38	
190	Ea.	2.45	9	12
245	Ea.	5.25	7	
255	Ea.	27.25	34	
256	Ea.	22.65	34	
257	Set	6.45	34	6
258	Ea.	3.40	34	
259	Ea.	1.65	34	
260	Ea.	1.95	34	
261	Ea.	1.70	34	6
262	Ea.	.95	34	
263	Ea.	.50	34	
265	Ea.	6.95	35	6
266	Set	1.65	35	6
267	Ea.	6.75	35	5
270	Ea.	1.90	12	1
275	Ea.	1.95	35	6
277	Ea.	5.95	36	5
280	Ea.	1.85	12	1
284	Pair	2.75	12	1
285	Ea.	1.20	12	1
286	Ea.	2.10	13	1
287	Ea.	1.15	13	1
288	Ea.	7.95	11	1
289	Ea.	8.20	11	1
290	Ea.	15.95	11	
291	Ea.	2.25	13	1
292	Ea.	.95	13	1
293	Ea.	1.85	14	1
294	Ea.	$2.10	14	1
295	Ea.	1.30	14	1
296	Pair	.65	14	1
297	Ea.	1.15	14	1
298	Ea.	4.75	35	10
325	Ea.	26.15	4	
374	Ea.	1.05	5	
376	Ea.	1.05	5	
378	Ea.	8.60	5	
379	Set	9.65	5	11
380	Ea.	12.25	4	
382	Ea.	13.50	4	
383	Ea.	8.90	4	
385	Ea.	6.70	5	
405	Ea.	8.25	18	3
409	Ea.	4.50	44	5
410	Ea.	1.25	18	3
411	Ea.	1.95	18	3
412	Ea.	2.90	18	3
413	Ea.	1.95	42	5
414	Set	6.85	42	5
414A	Ea.	1.95	42	
414B	Ea.	1.25	42	
414C	Ea.	1.95	42	
414D	Ea.	1.15	42	
415	Ea.	3.95	19	3
416	Ea.	4.95	43	5
420	Ea.	1.55	16	2
421	Ea.	3.45	43	5
425	Ea.	1.55	16	2
426	Ea.	2.50	40	6
427	Ea.	3.95	19	12
428	Ea.	2.40	19	2
429	Ea.	2.60	18	3
430	Ea.	1.60	16	2
435	Ea.	2.85	16	2
438	Ea.	1.20	16	2
440	Ea.	2.15	17	2
441	Ea.	3.45	17	2
442	Ea.	2.25	17	2
442A	Ea.	1.15	17	
442B	Ea.	1.30	17	
442H	Ea.	1.25	17	
443	Ea.	2.95	40	6
443H	Ea.	1.85	40	
444	Set	7.95	20	7
445	Set	4.20	20	7
445T	Ea.	3.50	21	
446	Set	4.20	20	7
446T	Ea.	3.50	21	
446X	Set	5.45	20	7
446XT	Ea.	4.75	20	
447	Set	1.30	21	
448	Set	2.10	21	
449H	Pair	.40	21	7
449P-.020″	Pair	.85	21	
449P-.060″-15°	Pair	.30	21	
449P-.039″-15°-45°-90°	Pair	.30	21	
449P-.047″-15°-45°-90°	Pair	.30	21	
449P-.074″-15°-45°-90°	Pair	.30	21	
449P-.090″-15°-45°-90°	Pair	.30	21	
450	Box		21	
451	Set	1.65	21	7
454	Ea.	9.95	22	7
455	Ea.	5.95	22	7
455T	Ea.	5.30	23	

** Denotes panel number on big 8 display.*

SUGGESTED EASTERN RESALE PRICES (Continued)

Type No.	Unit	Sugg. Resale	Page No.	* Panel No.
456	Ea.	$5.95	22	7
456T	Ea.	5.30	23	
457	Set	1.20	23	
459P-.108"-15°-45°-90°	Pair	.45	22	
459P-.123"-15°-45°-90°	Pair	.45	22	
465	Ea.	1.75	16	2
470	Ea.	3.15	15	2
472	Ea.	1.45	39	6
475	Ea.	1.75	9	12
480	Ea.	1.35	9	12
485	Ea.	1.95	44	5
495	Ea.	4.50	40	6
496	Ea.	1.95	40	
501	Ea.	1.15	7	8
503	Ea.	1.05	7	
504	Ea.	.90	7	
505	Ea.	1.20	7	8
505BF	Ea.	1.20	7	
506	Ea.	.80	7	
506BF	Ea.	.80	7	
507	Ea.	.80	7	
508G	Ea.	.80	7	
509	Ea.	.80	7	
510G	Ea.	1.20	7	
600	Ea.	3.70	6	
605	Ea.	2.05	6	11
607	Ea.	2.80	6	11
608	Ea.	2.80	6	11
609	Ea.	2.00	6	11
700	Ea.	3.95	6	11
710	Ea.	$4.95	17	2
715	Ea.	7.95	17	2
720	Set	5.95	42	6
720-A	Ea.	1.05	42	
720-B	Ea.	1.10	42	
720-C	Ea.	1.15	42	
720-D	Ea.	1.25	42	
720-E	Ea.	1.50	42	
725	Set	3.95	41	6
726	Set	2.45	41	6
727	Set	2.85	41	6
730	Ea.	2.25	41	6
804	Set	9.75	15	
805	Ea.	1.15	15	
806	Ea.	1.25	15	
807	Ea.	1.40	15	
808	Ea.	1.55	15	
809	Ea.	1.15	15	
812	Set	8.25	6	11
814	Ea.	2.60	6	
815	Ea.	2.60	6	
816	Ea.	2.60	6	
817	Ea.	2.60	6	
820	Ea.	5.25	7	
850	Set	12.55	44	
850B1	Ea.	2.00	44	
850B2	Ea.	2.00	44	
850B3	Ea.	2.00	44	
850B4	Ea.	2.00	44	
850B5	Ea.	2.00	44	
850B6	Ea.	2.00	44	
850BS	Ea.	2.50	44	
850H	Ea.	$3.40	44	
851	Ea.	5.25	44	5
870	Ea.	11.30	9	
872	Ea.	1.20	9	
874	Ea.	2.45	9	12
875	Ea.	2.00	10	12
880	Ea.	5.95	10	
Adpts. Spec.	Ea.	.70	10	
880E	Ea.	2.85	10	
881	Ea.	2.95	10	12
887	Ea.	4.25	5	
890	Ea.	6.50	10	
Adpts. to 8⅞"	Ea.	12.20	10	
Adpts. to 10⅞"	Ea.	13.20	10	
891	Ea.	8.40	10	
Adpts. to 12⅞"	Ea.	20.30	10	
Adpts. to 13⅞"	Ea.	24.40	10	
892	Ea.	10.50	10	
Adpts. to 17½"	Ea.	27.40	10	
895	Ea.	14.95	10	
901	Set	1.75	8	11
910	Ea.	1.75	8	11
912	Ea.	2.55	8	11
914	Ea.	1.95	8	11
915	Ea.	1.65	8	11
917	Ea.	2.10	7	
922	Box	2.25	7	
985	Set	1.95	23	7
Snap Rings (Ind. sizes)	Pkg.	.60	23	
1500	Ea.	2.60	15	

K-D SOCKET SCREW KEYS (See catalog page 30)



K-D Socket Screw Keys are intermediate lengths as compared with standard short and long arm series. Mechanics find the intermediate lengths to be practical for all around work. See dimensions D, C and B.

Specify Hex Key Sizes under D

SOCKET SCREW SIZES						DIMENSION					Price per 100
Cap Screws 1960 Series	Cap Screws 1936 Series	Socket Set Screws	Flat Head Cap Screws	Socket Shoulder Screws	Socket Pipe Plugs	D	C	B	Standard Package	Net Weight	Suggested Resale
#0	#0 & #1	#3 & #4	.....	.....	.....	.050"	1⅝"	½"	25	1 oz.	$ 4.10
#1	#2	#5 & #6	#4	.....	.....	1/16"	1 15/16"	9/16"	35	1½ oz.	4.25
#2 & #3	# 3 & #4	#8	#5 & #6	.....	.....	5/64"	2 3/16"	⅝"	35	2½ oz.	4.30
#4 & #5	#5 & #6	#10 & #12	#8	.....	.....	3/32"	2 7/16"	⅝"	35	4 oz.	4.70
New.. #6	.....	.....	.....	.....	.....	7/64"	2½"	¾"	35	8 oz.	4.80
.....	#8	¼"	#10	¼"	.....	⅛"	2 11/16"	¾"	35	8 oz.	4.80
New.. #8	.....	.....	.....	.....	.....	9/64"	2¾"	⅞"	35	14 oz.	6.30
#10	#10 & #12	5/16"	¼"	5/16"	1/16"	5/32"	3"	⅞"	35	14 oz.	6.30
¼"	¼"	⅜"	5/16"	⅜"	⅛"	3/16"	3 5/16"	⅞"	20	12½ oz.	7.65
.....	5/16"	7/16"	⅜"	.....	.....	7/32"	3¾"	1"	20	1 lb. 4 oz.	9.20
5/16"	.....	½" & 9/16"	7/16"	½"	¼"	¼"	4⅛"	1⅛"	20	1 lb. 12 oz.	10.70
⅜"	⅜" & 7/16"	⅝"	½"	⅝"	⅜"	5/16"	4⅝"	1¼"	10	1 lb. 9 oz.	18.30
7/16" & ½"	½" & 9/16"	¾"	⅝" & ¾"	¾"	½"	⅜"	5⅛"	1⅜"	10	2 lb. 7 oz.	30.00

METRIC HEX KEYS (See catalog page 30)

	D	C	B	Unit	Suggested Resale
2 MM	.078"	2"	9/16"	ea.	$ .15
2.5 MM	.098"	2 1/16"	¾"	ea.	.15
3 MM	.118"	2¼"	¾"	ea.	.15
4 MM	.157"	2½"	15/16"	ea.	.20
5 MM	.197"	2⅞"	1 1/16"	ea.	.25
6 MM	.236"	3 1/16"	1⅛"	ea.	.30
8 MM	.315"	3⅞"	1⅜"	ea.	$ .40
10 MM	.394"	4 7/32"	1 9/16"	ea.	.50
12 MM	.472"	5 3/16"	1¾"	ea.	.70
14 MM	.551"	5¾"	1⅞"	ea.	1.25
17 MM	.669"	6 5/16"	2"	ea.	1.50
19 MM	.708"	7 5/32"	2⅛"	ea.	2.50

** Denotes panel number on big 8 display.*

BINGO WHEEL PULLERS (See catalog page 15)

Size	Unit	Suggested Resale	Size	Unit	Suggested Resale	Size	Unit	Suggested Resale
5/8"–18	Ea.	$ 1.05	7/8"–16	Ea.	$ 1.40	1¼"–7	Ea.	$ 1.40
3/4"–16	Ea.	1.05	7/8"–18	Ea.	1.40	1¼"–12	Ea.	1.40
3/4"–20	Ea.	1.10	1"–14	Ea.	1.40	1½"–6	Ea.	2.70
13/16"–16	Ea.	1.35	1⅛"–7	Ea.	1.40	1½"–12	Ea.	2.70
7/8"–14	Ea.	1.35	1⅛"–12	Ea.	1.40			

NOTE — BINGO PULLERS are not subject to replacement. Do not return for adjustment or credit.

K-D REPAIR PARTS PRICE LIST

Repair Parts for Tool No.	Unit	Suggested Resale
No. 5R Reversible Bit only	each	$ .85
No. 40 Individual Hex Keys	each	.15
No. 45 Individual Hex Keys	each	.20
No. 99 Locking Device	each	1.38
Handle Assembly	each	.38
No. 126-127-128-129		
Bulbs	each	.25
Batteries	each	.20
Replaceable Needle	each	.40
Neon Tubes	each	.55
No. 130 Reversible Bit	each	.55
No. 245-260 — Not guaranteed or subject to adjustment.		
No. 255 (see page 4 for complete parts list)		
No. 265 Flexible Shaft	each	1.80
Driving Head (Male Thread)	each	1.00
Slotted Leg Head (Female Thread)	each	1.60
Set of Legs with 3 roll pins	set	1.50
No. 300-400 Locking Device	each	.55
Jaws, A-B-C-D-E	each	.60
No. 325 Jaws, w/screws, Nos. 32-35 or 38	pair	1.50
Plunger Bar	each	1.31
Brake Assembly	set	2.43
Handle w/plastic knobs	each	.88
No. 335 Lower Jaw, w/screws	each	4.40
Brake Assembly	set	2.43
Handle w/plastic knobs	each	.88
No. 380 Jaws, w/screws, Nos. 32-35 or 38	pair	1.50
Jaw Screws	each	.05
Jaw Adjusting Screw	each	.15
Plunger Bar 3/8" thick	each	1.30
Ratchet Lock w/spring	each	.38
Plunger Bar Sleeve	each	.23
Plunger Bar Assembly w/Hand-wheel-sleeve & lock	set	3.10
Hand Wheel only	each	1.14
Top Operating Handle, w/links	set	.65
Connecting Links only	pair	.15
Frames	pair	1.55
No. 382 Jaws, w/screws, Nos. 32-35 or 38	pair	1.50
Plunger Bar Assembly (See prices for #380)		
Frame Hand Wheel Assembly	assem.	1.00
No. 383 Jaws, w/screws, Nos. 32-35 or 38	pair	1.50
Plunger Screw	each	.70
Lower Arm, w/rivets	each	.38
Handle Links, w/rivets	pair	.18
No. 385 Plunger Screw	each	.50
Lower Arm, w/rivets	each	.38
Handle Links, w/rivets	pair	.18
Jaws	pair	1.50
No. 428 Swivel Jaws, w/spring washers	pair	.28
No. 429 Handle Spring	each	.15
No. 430 Jaws, w/rivets	pair	.25
No. 435 Large Jaw, w/rivets	each	.65
No. 440 Jaws, w/rivets	pair	.38
Spring	each	.15
No. 441 Jaws	pair	2.00
Jaw Screws	each	.15
Spring	each	.15
No. 500 Series Valve Grinder Rubber Cups Specify Dia. 13/16", 15/16", 1 1/16", 1⅛", 1⅜"	each	.38
No. 501 Series Valve Grinder Rubber Cups Specify Dia. 5/8", 13/16"	each	.38
No. 600 Jaws, specify upper or lower	pair	1.50
Lock Spring only	each	.23
Locking Device	each	.53
No. 607 Magnet Jaw Assembly, w/rivets furnished in pairs only	pair	.80
Handle Spring	each	.23
No. 608 Jaw Clips, w/rivets specify right or left	each	.15
Spring Clips w/rivets	each	.15
Spring	each	.23
No. 609 Magnet Jaw Assembly, w/rivets furnished in pairs only	pair	.80
Spring	each	.23
No. 700 Jaws, specify upper or lower	pair	1.50
U Link	each	.11
Screw-Nut-Hand Wheel	assem.	1.00
Jaw Adjusting Screw	each	.15

NOTE: No. 700 must be returned to factory for repair.

K-D REPAIR PARTS PRICE LIST

Repair Parts for Tool No.	Unit	Suggested Resale
No. 710 Chisel	each	.80
Screw	each	1.25
No. 715 Chisel	each	.95
Pusher	each	.75
Balls	pair	.30
Forcing Screw	each	1.25
No. 820 Jaws, specify upper or lower	pair	1.50
Handle w/rivets	each	.23
No. 870 Handle	each	.30
Bracket	each	.23
Gauge Plate	each	1.23
Shaft	each	1.92
No. 872 Cutter File for No. 870	each	.95
No. 875 Flat Spring	each	.20
No. 900 Upper Jaws	pair	1.50
Jaw Adjusting Screw	each	.15
No. 901 14M	each	.90
18M	each	.90
No. 918 Jaw Plate w/rivets	each	.45
Pulling Screw	each	1.30
Cup Forging	each	2.33
Handle	each	.57
Retainer Spring	each	.08
Cup, Screw & Handle Assembly	set	4.28
No. 930 Jaws	pair	1.50
Lower Arm & Rivets	each	.38
Handle Links & Rivets	pair	.18
Plunger Screw	each	.50
No. 935 Jaws	pair	1.50
Handle, w/rivets	each	.23
No. 1500 Spring	each	.23
Handle & Jaw Assembly, w/rivets, specify right or left	each	.79
PLASTIC CASES ONLY FOR		
No. 4 Kit	each	.30
No. 5B	each	.42
Nos. 5 or 5KC	each	.65
No. 10K	each	.37
No. 11K	each	.28
No. 20	each	.38
No. 27, 27S, 29	each	.28
No. 30 Box Only	each	1.10
No. 33 Box Only	each	4.30

STANDARD EQUIPMENT FOR BRAKE BLEEDER TANK

PARTS LIST

		Resale
1 — 255-1	Handle & Filler Plug Assembly with Dipstick	$3.25
2 — 255-2	Filler Plug Washer	.35
3 — 255-3	Air intake Valve	.35
4 — 255-4	Safety Valve Assembly (Spring, Plate, Plug)	.60
5 — 255-5	Safety Valve Lock Nut	.15
6 — 255-6	Adjusting Screws	.25
7 — 255-7	Fluid Hose with Quick Coupler	4.25
8 — 259	1960 Ford, Falcon Adapter	1.65
9 — 259-A	Ford, Falcon Adapter Gasket	.35
10 — 255-11	Tank	7.95
11 — 255-B	Adapter ($1\frac{1}{4}$—18, $1\frac{5}{8}$—18)	2.95
12 — 255-A	Adapter (Pipe Thread, $\frac{3}{4}$—18)	1.45
13 — 255-A1	Gasket for Universal Adapter ($\frac{3}{4}$—18, Pipe th.)	.15
14 — 255-B1	Gasket for Universal Adapter ($1\frac{1}{4}$—18)	.20
15 — 255-B2	Gasket for Universal Adapter ($1\frac{5}{8}$—18)	.30
258	Chrysler Adapter — Complete	3.40
16 — 258-A	Chrysler Adapter Nut	.60
17 — 258-B	Washer	.20
18 — 258-C	Chrysler Adapter Plate	2.25
19 — 258-D	Chrysler Adapter Plate Washer	.35
20 — 255-8	Male Quick Coupler Fitting	.50
21 — 255-9	Male Quick Coupler Gasket	.10
22 — 262	Short Universal Hose	.95
23 — 262-A	Washer for Short Universal Hose	.10
24 — 261	Master Cylinder Filler Attachment	1.70
25 — 255-10	Fluid Outlet Washer	.04
260	1960 G.M. Adapter	1.95
26 — 260-A	G.M.C. Adapter Gasket	.30
27 — 260-B	G.M.C. Adapter Nut	.20
28 — 260-C	G.M.C. Adapter Nut Washer	.10
29 — 260-D	G.M.C. Adapter Plate	1.35
30 — 255-12	Bleeder Hose	.30
	Quick Coupler (only)	2.95



OPTIONAL EQUIPMENT



Printed in United States of America